

GUAM ENVIRONMENTAL PROTECTION AGENCY AHENSIAN PRUTEKSION LINA'LA GUAHAN

Air Pollution Control Permit Application Standby Generator Form and Directions



This Standby Generator Short Form Application is only applicable to facilities that have one or more standby generator(s) with heat input greater than 350,000 BTU/hr which is the only type of air emission source(s) within the facility, and that will only be used during power outages. The total potential to emit from the emission from these standby generator(s) within the facility must be less than 100 tons per year on any particular pollutant and will not be a federal oversight source. When calculating potential to emit for the standby generator, use 1500 hours of operation per year. All other sources must use the Standard Application Form (Form S).

SECTION A - Enter the **Company name of the facility**. If the facility's official or legal name is different from the company name, enter the facility name. Do not use a colloquial name. Enter the complete mailing address, telephone number, and fax number for the facility.

SECTION B - Enter the name, title, complete mailing address, telephone number, and fax number of the **owner of the facility**. If there is more than one owner, list the other owner(s) on an attachment. For example, the owner(s) could be an individual, a partnership, a company, a parent company, or a corporation, or any combination of these.

SECTION C - Enter the name, title, complete mailing address, telephone number, and fax number of the **operator of the facility**. For example, the operator may be an individual or a company. In some cases, the owner and operator may be the same individual or company.

SECTION D - Enter the name, title, complete mailing address, telephone number, and fax number of the **contact person**. The contact person should be familiar with the day-to-day operation of the facility, such as the plant site manager or other individual who can be available to be contacted by Guam EPA. If there is more than one contact person, list the others on an attachment.

SECTION E - Enter the street address, village, Lot No., Tract No., Zoning and UTM coordinates of the facility. Attach a copy of the map used for the UTM coordinates and specify the datum used on the map. In addition, attach a layout of the facility identifying the location of the generator(s) on the property and all structures within the property lines. Provide the building dimensions (height, width, length) of all structures within 325 meters of the generator that have heights greater than 40% of the stack height of the generator.

SECTION F - Mark the appropriate box to indicate whether the permit is needed to construct and operate a source, or if the facility already exists and a permit is only needed to initiate or continue operations. If the source has previously received an Air Pollution Control Permit, enter the permit number here.

SECTION G - Mark the appropriate box to indicate whether this application is for an initial permit (this includes any source that has never used these forms to apply for a permit), a permit renewal, modification to an existing permit, or administrative permit amendment. Please note that the application fee for each Application Type is specified. **An application is deemed incomplete and will not be processed if Application Fee is not submitted.** Make checks or money order payable to:

Treasurer of Guam c/o Guam EPA's Air Pollution Control Special Fund

SECTION H - Complete the **Emission Unit Table (Table 1)** as completely as possible; make additional copies as need. Use separate sheets to provide required information. In providing the required information, please use the corresponding paragraph numbers and letters listed below.

- 1. Identify the generator with a unique number for the plant site (ie. GEN1), consistent with generator identification used on the location drawing and previous permits. If known, provide the SIC Code.
- 2. Enter information about the make and model of the generator on the table.
- 3. For each emission point use as many lines as necessary to list regulated and hazardous air pollutant data. For hazardous air pollutants, also list the Chemical Abstract Service (SAC) number.
- 4. Maximum emission rates of each regulated and applicable hazardous air pollutants shall be lbs/hr and tons/year as necessary to establish compliance with applicable requirements and standard reference test.
- 5. Provide stack information as required. Identify the Stack No. with individual generator units that discharge together for any length of time. (Ie, GEN1 and GEN2 use the same stack, therefore under Stack No.1, Provide information for GEN1 and GEN2).
- 6. Attach to the Emission Unit Table the following information:
 - a. A description of the generator (with a copy of the engine specification).
 - b. The type of fuel used (with a copy of the fuel specification).
 - c. Typical Operating Schedules (to the extent needed to determine or regulate emissions).
 - i. Total hours per day, per week, and/or per month.
 - ii. Total hours per year.
 - iii. If operation is seasonal or irregular, describe.
 - d. All supporting emission calculations and assumptions. Performance specifications from the manufacturer which should include enough information to calculate particulate matter (PM) and particulate matter equal to or less than 10 microns (PM10), sulfur dioxide (SO2), carbon monoxide (CO), nitrogen oxide (NOx), and volatile organic compounds (VOC).
 - c. Storage Tank Summary, if any. (See Table 2)
 - d. A blue print design of the unit that shows stack height and diameter, unit location relative to nearby building structures and areas such as office, parking lot, other buildings, day tanks, etc.

SECTION I - The **responsible official** is typically the president, commanding officer, or other official charged with the overall control of liability for the facility. See Section 1101 of the Air Pollution Control Standards and Regulations for a further discussion of who can be delegated this responsibility. Enter the complete name, title, address, and telephone and fax number, for the responsible official.

SECTION J - The **responsible official** must sign and date this section.

NOTE: Incomplete applications cause unnecessary delay in permit processing. The applicant should contact Guam EPA at (671) 475-1611/2 as soon as questions arise as to applicability of regulations and data requirements. Applicants are encouraged to consider seeking professional assistance, including engineering and consulting firms. Incomplete application may not be processed.



GUAM ENVIRONMENTAL PROTECTION AGENCY

AHENSIAN PRUTEKSION LINA'LA GUAHAN







A.	Company Name:										
	Source or Facility Name (if different from the Company) Mailing Address: Street or P.O. Box:										
	CityState	Zip Code									
	Telephone ()										
В.	Owner Information										
	Name of Owner(s)/Owner's Agent:										
	Title:										
	Mailing Address (Street or P.O. Box)										
	CityState	Zip Code									
	Telephone ()										
C.	Operator Information:										
	Name										
	Title										
	CityState	Zip Code									
	Telephone ()Fax ()										
D.	Contact Person/Plant Site Manager Information:										
	Name										
	Title										
	Mailing Address (Street or P.O. Box)										
	CityState	Zip Code									
	Telephone ()										

E.	Facility Loc	Facility Location:								
	Street Addı	ress:Village								
	Lot No	Tract No								
	Zoning	UTM Coordinates:								
	copy	datum used for UTM Coordinates (ie. Guam Datum 1963) and provide a map used. a facility location map, drawn to a reasonable scale and showing the								
F.	of the emission unit. Permit Type ' Construction and Operation ' Operation									
	Existing Air	Pollution Control Permit Numbers (if applicable)								
G.		a Type / Application Fee al Permit for Existing Source (\$100.00)								
	' Initia	al Permit for New Source (\$150.00)								
	' Perm	nit Renewal (\$100.00)								
	' Perm	nit Modification (\$100.00)								
	' Adm	ninistrative Permit Amendment (\$50.00)								
	Make check	s or money order payable to: Treasurer of Guam c/o Guam EPA's Air Pollution								
		Control Special Fund								
Н.	Emission Unit Table: Complete the Emission Unit Table (Table 1) as completely as poss make additional copies as need. Use separate sheets to provide required information. In prothe required information, please use the corresponding paragraph numbers and letters listed									
	 Identify the generator with a unique number for the plant site (ie. GEN1), consistent generator identification used on the location drawing and previous permits. If know provide the SIC Code. Enter information about the make and model of the generator on the table. 									

- 3. For each emission point use as many lines as necessary to list regulated and hazardous air pollutant data. For hazardous air pollutants, also list the Chemical Abstract Service (SAC) number.
- 4. Maximum emission rates of each regulated and applicable hazardous air pollutants shall be lbs/hr and tons/year as necessary to establish compliance with applicable requirements and standard reference test.
- 5. Provide stack information as required. Identify the Stack No. with individual generator units that discharge together for any length of time. (Ie, GEN1 and GEN2 use the same stack, therefore under Stack No.1, Provide information for GEN1 and GEN2).
- 6. Attach to the Emission Unit Table the following information:
 - a. A description of the generator (with a copy of the engine specification).
 - b. The type of fuel used (with a copy of the fuel specification).
 - c. Typical Operating Schedules (to the extent needed to determine or regulate emissions).
 - i. Total hours per day, per week, and/or per month.
 - ii. Total hours per year.
 - iii. If operation is seasonal or irregular, describe.
 - d. All supporting emission calculations and assumptions. Performance specifications from the manufacturer which should include enough information to calculate particulate matter (PM) and particulate matter equal to or less than 10 microns (PM10), sulfur dioxide (SO2), carbon monoxide (CO), nitrogen oxide (NOx), and volatile organic compounds (VOC).
 - e. Storage Tank Summary, if any. (See Table 2)
 - f. A blue print design of the unit that shows stack height and diameter, unit location relative to nearby building structures and areas such as office, parking lot, other buildings, day tanks, etc.

VII. **Responsible Official:** RESPONSIBLE OFFICIAL (as defined in § 1101.1(jjj)) Name (Last): _____ (MI): ____ Mailing Address (Street or P.O. Box): City: _____ State: ____ Zip Code: _____ Telephone (____) ____ Ext.___ Fax (____)___ J. **Certification:** CERTIFICATION OF TRUTH, ACCURACY AND COMPLETENESS BY THE RESPONSIBLE **OFFICIAL** (pursuant to §1104.6(c)(14) & §1102.3) I certify that I have knowledge of the facts herein set forth, that the same are true, accurate and complete to the best of my knowledge and belief, and that all information not identified by me as confidential in nature shall be treated by the Guam Environmental Protection Agency as public record. I further state that I will assume responsibility for the construction, modification, or operation of the source in accordance with the Guam Air Pollution Control Standards and Regulations (Public Law 24-322), and any permit issued thereof. Name (printed or typed) Name (signed) _______ Date: ____/___ FOR AGENCY USE ONLY: File/Application No.: Date Received: Received By: Permit Application Fee Enclosed:_____ Check No.:_____ Agency Receipt No.: _____ GEPA APC Special Fund Account No.

TABLE 2

		11	IDEE 2						
		STORAGE T	ANK SUMMA	ARY					
BUSINESS LICENSE	NAME OF COR	PORATION, CO	OMPANY, IN	DIVIDUAL OWNE	R OR GOVER	NMENTAI			
AGENCY UNDER WI	HICH APPLICAT	TION IS SUBMIT	TTED:						
TANK LOCATION:									
TANK IDENTIFICAT	ION (NUMBER (OR NAME):							
TANK CAPACITY:									
	BARRELS:		GALLONS:						
TANK DIMENSION:									
	DIAMETER:_	HEIG	GHT:	LENGTH:	WIDTH:				
TANK SHAPE:									
· CYI	LINDRICAL •	SPHERICAL	• OTHER SHA	APE DESCR	IBE				
TANK MATERIALS									
OF CONSTRUCTION	: • STEEL	• WOOD	• 0	OTHER SPECIF	Y				
TANK PAINT:									
• WH	ITE • GRE	Y OR BLUE	• ALUMINU	JM • DK. CLR	• NO PAINT				
TANK STATUS:									
• NEV	W CONSTRUCTI	ON · ALT	ERATION						
TYPE OF TANK:	• FIX	ED ROOF	• PRESSUR	EE • HEA	TED · UNI	DERGROUNI			
(CHK. ALL APPLICA	BLE) • FLO	ATING ROOF	• OPEN TO	P • INSU	LATED · OT	THER			
IF TANK IS TO HAVI	E ANY OTHER T	YPE OF ROOF	OR COVER (OR NONE AT ALL), DESCRIBE:				
VENT VALVE DATA:	: INDICATE TY	PE, NUMBER,	SETTING AN	D VAPOR DISPOSA	AL:				
				DISCHAR	DISCHARGE TO: (CHECK)				
		DDEGGLIDE	NA CHILINA	DISCHAR	•	(K)			
	NUMBER	PRESSURE SETTING	VACUUM	ATMOSDHEDE	VAPOR	FLARE			
	NUMBER	SETTING	SETTING	ATMOSPHERE	CONTROL	FLAKE			
COMBINATION									
PRESSURE									
VACUUM									
OPEN									
NAME ALL LIQUIDS	, VAPOR, GASES	S OR MIXTURE	OF SUCH M	ATERIALS TO BE	STORED IN T	HIS TANK			
NAME:			DENSITY:		1	LBS/GAL.			

TABLE 2

STORAGE TANK SUMMARY

(Continued)

TEMPERATURES AT WHICH THE ABOVE LISTED MATERIALS ARE TO BE STORED IN THIS TANK:									
MINIMUM TEMPERATURE:EF MAXIMUM TEMPERATUREEF									
IF MATERIALS STORED IS A PETROLEUM PRODUCT OR ANY OTHER TYPE OF ORGANIC MATERIAL,									
SUPPLY THE FOLLOWING INFORMATION FOR EACH MATERIAL: (Attach additional sheets, if necessary).									
VAPOR PRESSURE: LBS.REID (OR) LBS. PER SQ. IN. ABSOLUTE AT EF									
INITIAL BOILING POINT: EF									
FOR HEAVIER PETROLEUM PRODUCTS ONLY: FLASH POINT: EF									
OPERATIONAL DATA:									
MAXIMUM FILING RATE: BARRELS PER HOUR (OR) GALLONS PER HOUR									
AVERAGE OUTAGE: (AVERAGE DISTANCE FROM TOP OF TANK SHELL TO LIQUID SURFACE):FT.									
AVERAGE THROUGHPUT:BARRELS PER DAY (OR) GALLONS PER DAY									
NAME OF SOLVENT:									
NAME OF MATERIAL DISSOLVED:									
CONCENTRATION OF MATERIAL DISSOLVED: % BY WEIGHT (OR) %									
BY VOLUME									
(OR)LBS/GALLON									
IF MATERIAL STORED IS A GAS OR A LIQUIFIED GAS WHICH IS NOT A PETROLEUM PRODUCT,									
SUPPLY THE FOLLOWING INFORMATION:									
IDENTIFY THE MATERIAL:									
PRESSURE AT WHICH MATERIAL IS STORED: LBS. PER SQ. IN. GAGE AT EF									

Company Name:					File No										
Locati						_									
				EMISS		UNIT	S TAI	BLE (Гable 1	1)					
EVIEW O	F APPLICAT	IONS AND ISSUANCE OF PERMITS WILL	BE EXPEDI												
Stack No.	Unit No.	Equipment Name/Description and SIC CODE	Equip. Date	Regulated/ Hazardous Air Pollutant Name (CAS#)	lbs/hr	Tons/yr	Zoning	East (m)	North (m)	Stack Height Above Ground	Stack Direction	Stack inside diameter (m)	Stack Velocity (m/s)	Actual Flow Rate (m³/s)	Stack Temp (EK)
1) Date of	f Equipment	Construction, Reconstruction, or Modific	ation. Pro	vide supporting	document	ation.									

2) Exit direction of the stack emissions: up, down, or horizontal.